

Refine Search

Search Results -

| Terms | Documents |
|--------------|-----------|
| L9 and pulse | 18 |

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L11

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Sunday, May 15, 2005 [Printable Copy](#) [Create Case](#)

| <u>Set</u> <u>Name</u> | <u>Query</u> | <u>Hit</u> <u>Count</u> | <u>Set</u> <u>Name</u> result set |
|---|---|----------------------------|---|
| side by side | | | |
| <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i> | | | |
| <u>L11</u> | L9 and pulse | 18 | <u>L11</u> |
| <u>L10</u> | L9 and (pulse adj signal) | 0 | <u>L10</u> |
| <u>L9</u> | ("LED" adj strobe adj light) | 35 | <u>L9</u> |
| <u>L8</u> | L7 and (ceramic adj substrates) | 1 | <u>L8</u> |
| <u>L7</u> | thermoelectric and ("LED" adj light adj source) | 56 | <u>L7</u> |
| <u>L6</u> | (thermoelectric adj device adj controller) and (thermoelectric adj module) | 1 | <u>L6</u> |
| <u>L5</u> | L4 and thermocouple\$1 | 1 | <u>L5</u> |
| <u>L4</u> | L3 and maintain\$3 | 4 | <u>L4</u> |
| <u>L3</u> | L2 and puls\$3 | 6 | <u>L3</u> |
| <u>L2</u> | (thermoelectric adj device) and substrate and temperature and mount\$3 and ("LED" adj light adj source) | 7 | <u>L2</u> |
| <u>L1</u> | (thermoelectric adj device) and substrate temperature and mount\$3 and ("LED" adj light adj source) | 2189 | <u>L1</u> |

Refine Search

Search Results -

| Terms | Documents |
|---------------------------------|-----------|
| L51 and ("LED" adj temperature) | 3 |

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L52

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Sunday, May 15, 2005 [Printable Copy](#) [Create Case](#)

| <u>Set Name</u> side by side | <u>Query</u> | <u>Hit Count</u> | <u>Set Name</u> result set |
|---|--|------------------|-------------------------------|
| <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i> | | | |
| <u>L52</u> | L51 and ("LED" adj temperature) | 3 | <u>L52</u> |
| <u>L51</u> | (thermoelectric adj module) and temperature | 1492 | <u>L51</u> |
| <u>L50</u> | (thermoelectric adj device) and temperature | 0 | <u>L50</u> |
| <u>L49</u> | (thermoelectric adj module) and temperature | 0 | <u>L49</u> |
| <u>L48</u> | (thermoelectric adj module) and heat and temperature | 0 | <u>L48</u> |
| <u>L47</u> | (thermoelectric adj module) heat and temperature | 1685901 | <u>L47</u> |
| <u>L46</u> | L45 and "LED" | 1 | <u>L46</u> |
| <u>L45</u> | (thermoelectric adj device adj controller) | 7 | <u>L45</u> |
| <u>L44</u> | L43 and "LEDs" | 1 | <u>L44</u> |
| <u>L43</u> | (strobe adj (light or lamp)) and thermoelectric | 11 | <u>L43</u> |
| <u>L42</u> | L40 and diodes | 0 | <u>L42</u> |
| <u>L41</u> | L40 and ((light adj emitting adj diodes) or "LEDs") | 0 | <u>L41</u> |
| <u>L40</u> | L39 and controller | 8 | <u>L40</u> |

| | | | |
|------------|---|------|------------|
| <u>L39</u> | (strobe adj (light or lamp)) and (thermoelectric adj module) | 9 | <u>L39</u> |
| <u>L38</u> | (strobe adj (light or lamp)) and (thermoelectric adj device) | 0 | <u>L38</u> |
| <u>L37</u> | L36 and (pulse adj signal) | 5 | <u>L37</u> |
| <u>L36</u> | (modulation adj control) and ("LED" adj light adj source) | 39 | <u>L36</u> |
| <u>L35</u> | L34 and (optical adj feedback) | 2 | <u>L35</u> |
| <u>L34</u> | L33 and (light adj source) | 634 | <u>L34</u> |
| <u>L33</u> | "LEDs" and strobe and modulat\$3 and pulse | 1700 | <u>L33</u> |
| <u>L32</u> | L31 and (temperature adj sensor) | 1 | <u>L32</u> |
| <u>L31</u> | (thermoelectric adj (device or module) same "LEDs" same mount\$3) and substrate | 5 | <u>L31</u> |
| <u>L30</u> | "LEDs" and (strobe adj light) and temperature and thermoelectric | 1 | <u>L30</u> |
| <u>L29</u> | "LEDs" and (strobe adj light) and thermocouple and thermoelectric | 0 | <u>L29</u> |
| <u>L28</u> | ("LED" adj strobe adj light) and thermocouple | 1 | <u>L28</u> |
| <u>L27</u> | ("LED" adj strobe adj light) and thermoelectric | 0 | <u>L27</u> |
| <u>L26</u> | 6483254.pn. | 2 | <u>L26</u> |
| <u>L25</u> | L24 and "LED" and (strob\$3 or flash\$3) | 1 | <u>L25</u> |
| <u>L24</u> | (thermoelectric near2 controller) and (light adj source) | 79 | <u>L24</u> |
| <u>L23</u> | (thermoelectric near2 controller) and ("LED" adj light adj source) | 0 | <u>L23</u> |
| <u>L22</u> | (thermoelectric adj device adj controller) and (light adj source) | 0 | <u>L22</u> |
| <u>L21</u> | (thermoelectric adj device adj controller) and ("LED" adj light adj source) | 0 | <u>L21</u> |
| <u>L20</u> | L19 and maintain\$3 and temperature | 20 | <u>L20</u> |
| <u>L19</u> | l17 and substrate | 20 | <u>L19</u> |
| <u>L18</u> | L17 and (ceramic adj substrate) | 1 | <u>L18</u> |
| <u>L17</u> | L16 and pulse | 46 | <u>L17</u> |
| <u>L16</u> | (thermoelectric adj (module or device)) and control\$5 and (strob\$3 or flash\$3) and "LEDs" | 94 | <u>L16</u> |
| <u>L15</u> | L14 and thermocouple | 1 | <u>L15</u> |
| <u>L14</u> | L13 and pulse | 7 | <u>L14</u> |
| <u>L13</u> | ("LED" adj light adj source) and thermoelectric and (temperature adj "range") | 10 | <u>L13</u> |
| <u>L12</u> | L11 and thermoelectric | 0 | <u>L12</u> |
| <u>L11</u> | L9 and pulse | 18 | <u>L11</u> |
| <u>L10</u> | L9 and (pulse adj signal) | 0 | <u>L10</u> |
| <u>L9</u> | ("LED" adj strobe adj light) | 35 | <u>L9</u> |
| <u>L8</u> | L7 and (ceramic adj substrates) | 1 | <u>L8</u> |
| <u>L7</u> | thermoelectric and ("LED" adj light adj source) | 56 | <u>L7</u> |
| <u>L6</u> | (thermoelectric adj device adj controller) and (thermoelectric adj module) | 1 | <u>L6</u> |
| <u>L5</u> | L4 and thermocouple\$1 | 1 | <u>L5</u> |
| <u>L4</u> | L3 and maintain\$3 | 4 | <u>L4</u> |
| <u>L3</u> | L2 and puls\$3 | 6 | <u>L3</u> |
| <u>L2</u> | (thermoelectric adj device) and substrate and temperature and mount\$3 and ("LED" adj light adj source) | 7 | <u>L2</u> |

L1 (thermoelectric adj device) and substrate temperature and mount\$3 and
("LED" adj light adj source)

2189 L1

END OF SEARCH HISTORY